Cc: Foresman, Erin[Foresman.Erin@epa.gov] From: Skophammer, Stephanie Tue 6/11/2013 6:18:51 PM Sent: Subject: Summary of NMFS and USFWS prelim comments on the BDCP NMFS+Progress+Assessment+Regarding+the+BDCP+Administrative+Draft+4-11-13.pdf U.S.+Fish+and+Wildlife+Service+Staff+BDCP+Progress+Assessment+4-11-13-1.pdf I suspect these progress assessments are not finding their way to HQ, although they are public documents. Summary of Key Points from the NMFS and USFWS Progress Assessments from April 2013 conclusions of the independent scientific review panel have reinforced our concern that the BDCP restoration plan has not been carefully thought out and has uncertain prospects for benefiting native aquatic estuarine species." increased upstream exports show potential extirpation of salmon. uncertainties associated for water operations since the entire plan is based on the success of restoration efforts. listed species is managing water operations to assure adequate Delta outflow. • \textsup \ means that no project or conservation measure will ever be detrimental, the worst case is no effect. negatively impact green sturgeon • • • • Proposed changes in flow will cause significant temperature stresses for salmon efforts that have been assumed to be 100% successful and on which the entire restoration effort is hinged.

Goforth, Kathleen[Goforth.Kathleen@epa.gov]; Hagler, Tom[Hagler.Tom@epa.gov];

Vendlinski, Tim[vendlinski.tim@epa.gov]; DIAMOND, JANE[Diamond.Jane@epa.gov]

To:

• • • • • • • • • • • • • • • • • • •
•□□□□□□□□ The impacts to fish have been examined in a piecemeal fashion- and should show the importance of diminished flow magnitudes.
• • • • • • • • • • • • • • • • • • •
• □ □ □ □ □ □ Loss of sediment supply coming from the Sacramento river is not evaluated.
Found here and also attached: http://baydeltaconservationplan.com/BDCPPlanningProcess/DocumentsAndDrafts.aspx
Stephanie Skophammer
U.S. Environmental Protection Agency, Region 9
Environmental Review Office (CED-2)
75 Hawthorne St.
San Francisco, CA 94115
(415) 972-3098